



# FRESH FACTORY MIXED CONCRETE



The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

## SECTION 1: Identification of the substance / mixture and of the company / undertaking

 Date issued
 09.01.2015

 Revision date
 21.06.2022

#### 1.1. Product identifier

Product name

FRESH FACTORY MIXED CONCRETE

Synonyms

Factory mixed concrete in strength classes B10 to B95 according to NS-EN 206 for concrete structures in the durability classes M90, M60, M45, MF45, M40, MF40.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Concrete.

Use of the substance / preparation Concrete constructions.

Relevant identified uses SU19 Building and construction work

#### 1.3. Details of the supplier of the safety data sheet

#### Downstream user

Company name Ølen Betong AS Office address Bjoavegen 191 Postal address Bjoavegen 191 Postcode 5582 City **ØLENSVÅG** Country Norway Telephone number 53775200 Email mail@olenbetong.no Website www.olenbetong.no Enterprise No. 953685124

#### 1.4. Emergency telephone number

Emergency telephone Telephone number: +47 22 59 13 00

Description: Norwegian Poison Information Center

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2; H315

[CLP / GHS]

Eye Dam. 1; H318

Substance / mixture hazardous properties

Causes skin irritation. Causes serious eye damage.

Additional information on classification

The mixture is not classified as STOT SE 3; H335: May cause respiratory irritation, because wet concrete does not dust. Classification based on extreme pH is not relevant. Only one component classified as corrosive is present in the mixture. The mixture should not have a classification that is stricter than the substance's own classification.

#### 2.2. Label elements

#### Hazard pictograms (CLP)



Composition on the label Portland cement 10 - 20 %

Signal word

Danger

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves / protective clothing / eye protection / face

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor / physician.

#### 2.3. Other hazards

PBT / vPvB Not PBT / vPvB.

Other hazards The substance is not listed on ECHA's Endocrine disruptor assessment list. Ref.

section 3.2.

## **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

Substance Identification Classification Contents **Notes**  Portland cement CAS No.: 65997-15-1 STOT SE3; H335 10 - 20 %

EC No.: 266-043-4 Skin Irrit. 2; H315

Eye Dam. 1; H318

Description of the mixture

Construction materials on basis of minerals. Contains water and aggregates

Substance comments When additives are added at the construction site, a SDS for this/these must

exist.

The portland cement contains max 2 mg water soluble chromates pr. kg. dry

cement.

For substances without REACH registration number, no information has been

provided by the subcontractor or manufacturer.

See section 16 for explanation of hazard statements (H) listed above.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General	Emergency telephone number: see section 1.4. In case of unconsciousness or severe accidents, call 112.
Inhalation	Not relevant. Fresh air and rest.
Skin contact	Remove contaminated clothing. Wash the skin immediately with soap and water. Consult a doctor if symptoms should occur.
Eye contact	Flush immediately with plenty of water. Remove contact lenses and open eyes wide apart. Continue to rinse for 30 minutes. By prolonged rinsing, use luke warm water to avoid damage to the eye. Transport to physician. Keep on flushing during transport.
Ingestion	Rinse mouth thoroughly. Drink a few glasses of water or milk. Never give liquid to an unconscious person. Do not induce vomiting. Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects

Skin contact: The chemical irritates the skin and can cause itching, burning and redness.

Eye contact: Causes severe burns and serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Other information Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

The chemical is not classified as flammable. The chemical is non-combustible.

None hazardous combustion products are expected.

#### 5.3. Advice for firefighters

Personal protective equipment	Use compressed air equipment when the chemical is involved in fire. In case of evacuation, an approved protection mask should be used. See also section 8.
Other information	Containers close to fire should be removed immediately or cooled with water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures

Use protective equipment as referred to in section 8.

#### 6.2. Environmental precautions

Environmental precautionary	Do not allow to enter into sewer, water system or soil.
measures	

#### 6.3. Methods and material for containment and cleaning up

Clean up	Use mechanical handling equipment. Collect in suitable containers and deliver as
	waste according to section 13. Small quantities can be dissolved/diluted in water
	and flushed to drain.

#### 6.4. Reference to other sections

Other instructions See also sections 8 and 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Handling	Arrange working conditions to avoid direct contact.
	Use protective equipment as referred to in section 8.

#### **Protective safety measures**

Advice on general occupational	Do not eat, drink or smoke during work. Wash hands at the end of each work shift
hygiene	and before eating, smoking and using the toilet. Wash contaminated clothing
	before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage	Not to be stored.
	Keep out of reach of children.

#### 7.3. Specific end use(s)

Specific use(s) See section 1.2.

## SECTION 8: Exposure controls / personal protection

#### 8.1. Control parameters

Control parameters comments	Contains no substances with occupational exposure limit values.  Dust formation is unlikely based on the physical state of the chemical.
	References (laws/regulations):

Norwegian regulation on exposure limits: FOR-2011-12-06-1358 Forskrift om tiltaks- og grenseverdier (sist endret gjennom FOR-2021-06-28-2248).

#### 8.2. Exposure controls

#### Precautionary measures to prevent exposure

Technical measures to prevent exposure

Provide adequate ventilation. The personal protective equipment must be CE-marked and the latest version of the standards shall be used. The protective equipment and the specified standards recommended below are only suggestions, and should be selected on advice from the supplier of such equipment.

A risk assessment of the work place/work activities (the actual risk) may lead to other control measures. The protection equipment's suitability and durability will depend on application.

#### Eye / face protection

Eye protection equipment

Description: Wear tight-fitting goggles or face shield.

Reference to relevant standard: EN 166 (Personal eye-protection. Specifications).

Eye wash facilities shall be available at the work place. Either a fixed eye wash facility connected to the drinking water (preferably warm water) or a portable disposable unit.

#### **Hand protection**

Suitable materials Nitrile. Rubber, neoprene or PVC. Breakthrough time Value: > 8 hour(s) Comments: Other glove types may be recommended by the suppliers of gloves Thickness of glove material Comments: Not specified as it is controlled by the breakthrough time. Hand protection equipment Description: Use chemical resistant gloves. Glove thickness must be chosen in consultation with the glove supplier, who can inform about the breakthrough time for the glove. The gloves abilities may vary among the different glove manufacturers. Reference to relevant standard: EN ISO 374 (Protective gloves against chemicals and micro-organisms). EN 420 (Protective gloves - General requirements and test methods). Additional hand protection Replace gloves if signs of wear and tear.

#### Skin protection

measures

Recommended protective clothing	Description: Wear appropriate protective clothing to protect against possible skin contact. Wear boots (pants on top of boots).
Additional skin protection measures	Emergency shower should be available at the workplace.

#### **Respiratory protection**

Recommended respiratory	Description: Normally not required.
protection	

#### Appropriate environmental exposure control

Environmental exposure controls

Physical state

Do not allow to enter into sewer, water system or soil.

Liquid to pasty, dependent on water content.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Colour Gray My be pigmented. Odour Characteristic. **Odour limit** Comments: Not known. рН Status: In aqueous solution Value: ~ 12 Melting point / melting range Value: ~ 0 °C Boiling point / boiling range Value: ~ 100 °C Flash point Comments: Not combustible. Flammability Not relevant, see flash point. **Explosion limit** Comments: Not known. Vapour pressure Comments: Not relevant. Vapour density Comments: Not relevant. Particle characteristics Comments: Not relevant. Relative density Value: ~ 2400 kg/m3 Density Comments: Not known. **Bulk density** Comments: Not known. Solubility Medium: Water Comments: Completely soluble in water.

Partition coefficient: n-octanol/

water

Comments: Not known.

Auto-ignition temperature Comments: Not relevant.

Decomposition temperature Comments: Does not decompose.

Viscosity Comments: Varies.

Explosive properties Not explosive.

Oxidising properties Not oxidizing.

#### 9.2. Other information

#### 9.2.2. Other safety characteristics

**Evaporation rate** Not known.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reactivity No reactivity hazards.

#### 10.2. Chemical stability

Stability Stable under normal temperature conditions and recommended use.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No hazardous reactions known.

#### 10.4. Conditions to avoid

Conditions to avoid None known.

#### 10.5. Incompatible materials

Materials to avoid None expected.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products

No hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Other toxicological data

There are no health hazard due to cured chemical.

#### Other information regarding health hazards

Assessment of acute toxicity, Based on available data, the classification criteria are not met. classification Assessment of skin corrosion / Irritating to skin. irritation, classification Assessment of eye damage or Causes serious eye damage. irritation, classification Assessment of respiratory Based on available data, the classification criteria are not met. sensitisation, classification Assessment of skin sensitisation, Based on available data, the classification criteria are not met. classification Sensitisation Sementen brukt er kromredusert for å hindre allergier. Assessment of germ cell Based on available data, the classification criteria are not met. mutagenicity, classification Assessment of carcinogenicity, Based on available data, the classification criteria are not met. classification Assessment of reproductive Based on available data, the classification criteria are not met. toxicity, classification Assessment of specific target Based on available data, the classification criteria are not met. organ toxicity - single exposure, classification

Assessment of specific target organ toxicity - repeated exposure, classification	Based on available data, the classification criteria are not met.
Assessment of aspiration hazard, classification	Based on available data, the classification criteria are not met.

#### Symptoms of exposure

In case of ingestion	Unlikely because of the chemical condition. The product causes irritation of mucous membranes and may cause abdominal discomfort if swallowed.
In case of skin contact	The chemical irritates the skin and can cause itching, burning and redness.  Acts as a defatting agent on skin. May cause cracking of skin, and eczema.  Prolonged or repeated exposure may cause irritation / burning and wound injuries.
In case of inhalation	Ved blanding av sement til betong: Dust may irritate respiratory system.
In case of eye contact	Risk of serious damage to eyes.

#### 11.2 Other information

Endocrine disruption	The substance is not listed on ECHA's Endocrine disruptor assessment list. Ref.
	section 3.2.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity	The chemical is not classified as harmful to the environment.
-------------	---

## 12.2. Persistence and degradability

Persistence and degradability	The product reacts with water to form a solid insoluble reaction product which is
description/evaluation	non-degradable, according to information available.

#### 12.3. Bioaccumulative potential

Bioaccumulation, evaluation Not expected to bioaccumulate.
--

## 12.4. Mobility in soil

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB	Not PBT / vPvB
assessment	

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties	The substance is not listed on ECHA's Endocrine disruptor assessment list. Ref.
	section 3.2.

#### 12.7. Other adverse effects

Additional ecological information

Alkalies cause increased pH values in the water. A high pH value harms aquatic organisms.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Appropriate methods of disposal

for the chemical

Dispose of waste in local landfill.

EWC waste code

EWC waste code: 170101 concrete

Classified as hazardous waste: No

Other information

Do not empty into drains.

### **SECTION 14: Transport information**

Dangerous goods

No

#### 14.1. UN number

Comments

Not considered as dangerous goods under UN, IMO, ADR/RID or IATA/ICAO regulations.

#### 14.2. UN proper shipping name

Comments

Not relevant.

#### 14.3. Transport hazard class(es)

Comments

Not relevant.

#### 14.4. Packing group

Comments

Not relevant.

#### 14.5. Environmental hazards

Comments

Not relevant.

#### 14.6. Special precautions for user

Special safety precautions for user Not relevant.

#### 14.7. Maritime transport in bulk according to IMO instruments

Pollution category

Not relevant.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Restriction of chemicals according to Annex XVII (REACH)

FRESH FACTORY MIXED CONCRETE are covered by paragraph 47, and its use is restricted according to REACH Annex XVII. The restriction is not relevant to this

References (laws/regulations)

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP-regulation) with later amendments.

Regulation (EC) No 1907/2006 on the registration, evaluation, authorization and restriction of chemicals (REACH Regulation), with later amendments.

Norwegian regulation on waste, 01.06.2004 no. 930, with later amendments.

Norwegian regulation on dangerous goods: FOR 2009-04-01 nr 384: Forskrift om landtransport av farlig gods med senere endringer, Direktoratet for samfunnssikkerhet og beredskap.

Norwegian regulation on declaration: FOR-2015-05-19-541, 01.06.2015 with later amendments.

Declaration No.

76432

#### 15.2. Chemical safety assessment

Chemical safety assessment No performed No No

## **SECTION 16: Other information**

Supplier's notes	The information contained in this SDS must be made available to all those who handle the product.
List of relevant H-phrases (Section 2 and 3)	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Key literature references and sources for data	Common template designed for the members of FABEKO.
Abbreviations and acronyms used	ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road EWC: European Waste Code (a code from the EU's common classification system for waste) IATA: The International Air Transport Association ICAO: The International Civil Aviation Organisation IMDG: The International Maritime Dangerous Goods Code IMO: International Maritime Organization PBT: Persistent, Bioaccumulative and Toxic RID: The Regulations concerning the International Carriage of Dangerous Goods by Rail vPvB: very Persistent and very Bioaccumulative
Information added, deleted or revised	Sections being revised since previous version: 1-4, 8-9, 11-16
Checking quality of information	This SDS is quality controlled by Kiwa Kompetanse AS in Norway, certified according to the Quality Management System requirements specified in ISO 9001:2015.
Version	6
Prepared by	Kiwa Kompetanse, Norway by Sissel Rogstad